

E ESHAAN ENTERPRISES

SAFETY LOCKERS | ENGINEERING PROJECTS

AN ISO 9001: 2015 CERTIFIED COMPANY

STRONG & SAFE

“ENGINEERED TO PROTECT. BUILT TO LAST.”



OUR LOCKER PRODUCTS

FIREPROOF SAFE / STRONG ROOM DOOR / COUNTER SAFE / HOME LOCKER
ELECTRONIC SAFE / BIOMETRIC FINGERPRINT SAFE LOCKER

KEEP YOUR PRECIOUS VALUABLES, DOCUMENTS & CAPITAL SAVINGS SAFE WITH SMART RANGE OF

GLADIATOR SAFE | STEELMAX LOCKER

FIRE AND BURGLAR RESISTANT SAFE



Size (Inch) - H61 x W33 x D30 - 1300 Kg approx.



Size (Inch) - H36 x W27 x D24 - 600 Kg approx.

DOOR SLAB:

A fully MIG welded, multi-corner single/two joint construction makes the body from total 7mm of tested quality M. S. Plate (ASTM A36 / IS 2062 Gr. B). All 5 sides and the door of the safe are armored with a specially designed barrier material which is encased between strong outer and inner steel body to withstand the attacks of sledgehammer, power drill and impact of a fall from upper floors. The overall body thickness on all 5 sides is 100 mm (approx.) including barrier material which offers fire as well as burglar resistance as per latest edition of IS: 550.

BOLT WORK MECHANISM:

Each locker is fitted with high quality first class unpickable dual control 10 lever key lock. These locks are self locking so that the custodian does not have to re-lock the locker with his key after the customer has locked it. Apart from this, pad lock can also be provided so that customer can use his own padlock for more security with full confidence.

AUTOMATIC RE-LOCKING DEVICE:

With a standard feature on all models of a door, this sensitive device is triggered- off when an attack is attempted on the lock through the keyhole with any instrument. This automatic re-locking device guards all the key locks against tampering & prying attacks.

STANDARD SIZE FOR SINGLE DOOR SAFE

ALL SIZES IN INCH (H X W X D)

SR. NO.	PRODUCT CODE	OUTER SIZE	INNER SIZE	WEIGHT IN KG (APPROX.)
01	GLDS-SD-26	26"x 22" x 22"	18"x 14" x 10"	400
02	GLDS-SD-30	30"x 24" x 24"	28"x 16" x 12"	450
03	GLDS-SD-36	36"x 27" x 24"	28"x 19" x 12"	600
04	GLDS-SD-42	42"x 30" x 27"	34"x 22" x 15"	800
05	GLDS-SD-48	48"x 30" x 27"	40"x 22" x 15"	1000
06	GLDS-SD-60	60"x 33" x 30"	52"x 25" x 18"	1300
07	GLDS-SD-72	72"x 30" x 30"	64"x 22" x 18"	1500
08	GLDS-SD-72	72"x 36" x 30"	64"x 28" x 18"	1650
09	GLDS-SD-81	81"x 30" x 30"	73"x 22" x 18"	2200
10	GLDS-SD-81	81"x 36" x 30"	73"x 28" x 18"	2400
11	GLDS-SD-84	84"x 36" x 30"	76"x 28" x 18"	2600

CLASSIFICATION OF SAFES AS PER BIS STANDARD (IS: 550, LATEST EDITION 2022)

Sl.No. (1)	CLASS (2)	CLASSIFICATION CODE (3)	REMARKS (4)
i)	D	Deposit Safe(DEP 15-D)	Safe with door having tool resisting capacity of 15 min and resistance to trapping/fishing deposited envelopes or bags for min.
ii)	C	TL 30 D x TL 10 x 5 - FR 30	Safe with door having tool resisting capacity of 30 min and other five sides having tool resisting capacity of 10 min each and with fire resisting capacity of 30 min
iii)	CC	TL 15 x 6 - FR 30	Safe having tool resisting capacity on all six sides for 15 min each and with fire resisting capacity of 30 min
iv)	CCC	TL 30 x 6 - FR 30	Safe having tool resisting capacity on all six sides for 30 min each and with fire resisting capacity of 30 min
v)	BB	TRTL - 15 x 6	Safe having torch and tool resisting capacity on all six sides for 15 min each
vi)	A	TRTL - 30 x 6	Safe having torch and tool resisting capacity on all six sides for 30 min each
vi)	A+	TRTL - 45 x 6	Safe having torch and tool resisting capacity on all six sides for 45 min each
viii)	AA	TRTL - 60 x 6	Safe having torch and tool resisting capacity on all six sides for 60 min each
ix)	AAA	TRTL - 90 x 6	Safe having torch and tool resisting capacity on all six sides for 90 min each
x)	X	TRTL - 60 x 6	Safe having torch and tool resisting capacity on all six sides for 60 min each and explosive resistance when tested in line with IS 550 (Part 2)

Note - Time Specified Is Minimum

STRONG ROOM DOOR



DOOR SLAB:

The outer layer of the door slab is made of a genuine M. S. Plate (ASTM A36 / IS 2062 Gr. B) sourced from reputed brands like TATA, SAIL, JINDAL, RINL, etc. It is further reinforced by a specially designed material matrix 100 mm thick and a high carbon alloy steel plate which provides impregnable security against the most severe modern day professional attacks by LPG Cutting, Oxy-acetylene Cutting and Power Drilling. This multi layer protection is provided behind the entire locking system.

DOOR FRAME:

Tested quality 10 mm thick M. S. Plate (ASTM A36 / IS 2062 Gr. B) is used for fabricating the one-piece-bent angle door frame. For strength and rigidity, this frame is suitably reinforced along the height and breadth.

STANDARD SIZE FOR STRONG ROOM DOOR

ALL SIZES IN INCH (H X W X D)

SR.NO.	PRODUCT CODE	OUTER SIZE	INNER SIZE	WEIGHT IN KG (APPROX.)
01	GL-SRD-86 C	86"x 49" x 11"	78"x 36" x 11"	1000
02	GL-SRD-80 C	80"x 43" x 11"	72"x 30" x 11"	800

STANDARD SIZE FOR STRONG ROOM DOOR

ALL SIZES IN INCH (H X W X D)

SR.NO.	PRODUCT CODE	OUTER SIZE	INNER SIZE	WEIGHT IN KG (APPROX.)
01	GL-SRD-86 B	86"x 49" x 11"	78"x 36" x 11"	1300
02	GL-SRD-80 B	80"x 43" x 11"	72"x 30" x 11"	950

CLASSIFICATION OF STRONG ROOM DOOR (VAULT ROOM DOOR) AS PER BIS STANDARD (IS: 11188, LATEST EDITION 2021)

CLASS	CLASSIFICATION CODE	BURGLARY RESISTING CAPACITY MINT.	FIRE RESISTING CAPACITY MINT.
(1)	(2)	(3)	(4)
C	TRTL 15-FR 30	15	30
B	TRTL 30-FR 30	30	30
A	TRTL 60	60	-
AA	TRTL 120	120	-
AAA	TRTL 180	180	-

COUNTER SAFE LOCKER

We manufacture high quality COUNTER SAFE LOCKERS for Jewellery Showrooms in standard and custom sizes. These Counter Safe Lockers are designed and manufactured with special attention considering the probable attack on backside which is more vulnerable to advance burglary attacks.

ANTI CORROSION TREATMENT

Gladiator safes undergo a multi-step anti-corrosion treatment that inhibits corrosion. Enhances life of the safe by preventing rust formation and ensures that paint remains unscathed even after a number of years.



STANDARD SIZE FOR COUNTER SAFE

ALL SIZES IN INCH (H X W X D)

SR. NO.	PRODUCT CODE	OUTER SIZE	INNER SIZE	WEIGHT IN KG (APPROX.)
01	GLDS-CSL-36	30"x 36" x 24"	22"x 28" x 14"	650
02	GLDS-CSL-48	30"x 48" x 24"	22"x 40" x 14"	900
03	GLDS-CSL-60	30"x 60" x 24"	22"x 52" x 14"	1100
04	GLDS-CSL-72	30"x 72" x 24"	22"x 64" x 14"	1300

SAFE DEPOSIT LOCKER

Gladiator SDL are designed to provide maximum security, reliability and strength. Our cabinet's structural design is very strong and made from good quality M. S. Steel Plates (ASTM A36 / IS 2062 Gr. B).



STANDARD SIZE FOR SAFE DEPOSIT LOCKER

ALL SIZES IN INCH (H X W X D)

PRODUCT CODE	NUMBER OF LOCKERS IN EACH TYPE											NET. WT. KG	GROSS WT. KG	OVERALL DIMENSIONS(mm)		
		A	A1	B	C	D	D1	E	F	F1	HEIGHT			WIDTH	DEPTH	
GLDS-SD-61	SAFE WITH 29 LOCKERS	-	27	-	-	-	2	-	-	-	1400	1500	1550	785	725	
GLDS-SD-81	SAFE WITH 36 LOCKERS	24	-	-	8	-	-	-	2	2	2440	2675	2045	950	880	
GLDS-SD-81	SAFE WITH 46 LOCKERS	40	-	-	4	-	-	-	2	-	2490	2725	2045	950	880	
GLDS-SD-81	SAFE WITH 56 LOCKERS	56	-	-	-	-	-	-	-	-	2540	2775	2045	950	880	

WORLD CLASS LOCKING SYSTEM

We use globally certified (UL Listed, Vds Certified) best-in-class global locking System from top brands like NL, TECNOSICUREZZA S.P.A, SECURAM, DORMAKABA, SARGENT & GREENLEAF (S & G), GUARDMAN etc.



SECURAM

dormakaba

TECNOSICUREZZA
Locks & Security Systems

TORCH & TOOL RESISTANT JEWELLERY SAFE



Locker Size (Inch) - H90 x W52 x D36 - 4000 KG approx.

STANDARD SIZE FOR DOUBLE DOOR SAFE

ALL SIZES IN INCH (H X W X D)

SR. NO.	PRODUCT CODE	OUTER SIZE	INNER SIZE	WEIGHT KG (APPROX.)
01	GLDS-DD-36	36"x 36" x 24"	28"x 28" x 12"	700
02	GLDS-DD-42	42"x 36" x 24"	34"x 28" x 12"	800
03	GLDS-DD-48	48"x 36" x 27"	40"x 28" x 15"	1100
04	GLDS-DD-60	60"x 36" x 30"	52"x 28" x 18"	1400
05	GLDS-DD-60	60"x 42" x 30"	52"x 34" x 18"	1600
06	GLDS-DD-72	72"x 36" x 30"	64"x 28" x 18"	1800
07	GLDS-DD-72	72"x 42" x 30"	64"x 34" x 18"	2000
08	GLDS-DD-81	81"x 42" x 30"	73"x 34" x 18"	2400
09	GLDS-DD-84	84"x 48" x 33"	76"x 40" x 21"	2800
10	GLDS-DD-90	90"x 52" x 36"	82"x 44" x 24"	4000



**FIRE
PROOF**



**GAS CUTTER
TORCH**



SLEDGEHAMMER



**DIGITAL
LOCKS**



HOME & OFFICE LOCKERS

We design and manufacture premium-grade home lockers that combine advanced security with elegant aesthetics, ensuring complete protection for your valuables without compromising on style. Engineered with robust anti-burglary features, our lockers provide a safe and reliable solution for safeguarding jewellery, important documents, cash, and other personal assets. Each unit is built using high-quality materials and precision engineering to deliver long-lasting durability and resistance against unauthorized access. Our range offers a wide selection of sizes, finishes, and configurations to seamlessly blend with modern interiors—making them ideal for residences, apartments, and personal spaces.

To ensure superior security performance, our lockers are equipped with globally trusted locking systems from renowned brands such as S&G, SECURAM, DORMAKABA, CARL WITTKOPP, and more—offering options across mechanical, digital, and biometric technologies. Whether for daily use or long-term storage, our home lockers deliver the perfect balance of safety, convenience, and sophistication.

FEATURES & OPTIONS AVAILABLE

- 1) Single Wall (Plate Tijori) Lockers
- 2) Double Wall (Fire Resistant) Lockers
- 3) Standard & Custom Sizes Available
- 4) Robust Steel Construction
- 5) Electronic / Fingerprint Locks Option
- 6) Emergency Access With Physical Key & External Power Bank
- 7) Powder Coated Finish
- 8) Exceptional Warranty On Electronic Lockers
- 9) 10x Stronger Than Wooden Cupboards
- 10) Anchor Holes Provided



Size (Inch)

H24 x W18 x D18 - 40 Kg



Size (Inch)

H36 x W21 x D18 - 74 Kg



Size (Inch)

H49 x W24 x D20 - 95 kg approx.

STANDARD HOME LOCKER SIZES WITH WEIGHTS

SR.NO.	DOOR TYPE	HEIGHT (INCH)	WIDTH (INCH)	DEPTH (INCH)	WEIGHT IN KG (PLATE TIJORI)
01	SINGLE	9	12	9	11
02	SINGLE	10	14	11	13
03	SINGLE	12	15	13	18
04	SINGLE	15	18	15	27
05	SINGLE	18	16	18	32
06	SINGLE	20	16	16	32
07	SINGLE	24	16	16	37
08	SINGLE	24	18	18	40
09	SINGLE	24	20	18	46
10	SINGLE	26	18	18	44
11	SINGLE	28	18	18	46
12	SINGLE	30	20	18	55
13	SINGLE	36	21	18	67
14	SINGLE	36	24	18	72
15	DOUBLE	36	36	20	100
16	SINGLE	42	24	20	84
17	DOUBLE	42	36	20	116
18	SINGLE	48	24	20	95
19	DOUBLE	48	36	20	129
20	SINGLE	55	27	24	126
21	SINGLE	60	27	24	135
22	DOUBLE	60	36	24	166
23	SINGLE	72	27	24	157
24	SINGLE	72	30	24	172
25	DOUBLE	72	40	27	224

NOTE : WEIGHTS MENTIONED ABOVE ARE APPROXIMATE WITH A TOLERANCE OF $\pm 10\%$

**FIRE & BURGLAR RESISTANT SAFE / STRONG ROOM DOOR / COUNTER SAFE LOCKER
SAFE DEPOSIT LOCKER / HOME LOCKER / FIRE RESISTANT HOME SAFE
CASH SAFETY LOCKER / ELECTRONIC SAFE / FINGERPRINT SAFE**

☎ **91365 99447 / 9422766508**

✉ sales@eshaanprojects.com  eshaanprojects.com

📍 **Office Address**

Eshaan Enterprises, Behind Mahi Mill Depot (Sunita Saree),
Parandwadi Road, Near Pawana Hospital, Somatane Phata,
Pune - 410506, India, Maharashtra, India.

E **ESHAAN**
ENTERPRISES

SAFETY LOCKERS | ENGINEERING PROJECTS